

Data sheet

IGNITE PROTON WIND





GENERAL

Art. no.:	G-1132-WS-XXL/5XL	E-class number:	
EAN:	4030281230939	Customs no.:	
Standard:	EN 358:2018 EN 361:2002		

40-02-01-02

63079098



Data sheet

IGNITE PROTON WIND

This completely equipped body harness for fall arrestingThis professional and completely equipped body harness for fall arresting, work positioning and climbing protection with a synthetic sliding plate was developed specially for the wind energy industry. It can be used in many other areas as well when top performance in safety and functionality are required. IGNITE PROTON scores with thermoshaped hip padding that evenly distributes weight and is protected from wear and tear on the outside with a synthetic plate. The welldesigned construction allows the fall-arrest attachment point to be perfectly positioned for the user. It also offers practical belt strap coilers to eliminate bulky excess length. Shoulder and leg padding can be laundered or replaced. Pre-formed gear loops and tool eyelets for different kinds of use make the harness a complete system.

- Can be used with all carabiner openings of 10.5 mm and up
- Thermo-shaped waist padding
- · Replaceable shoulder and leg padding
- *Available from 01.2.20

GENERAL

Internat. standard:

ANSI Z359.11:2014, MEETS CSA Z259.10:2012

FEATURES

Fall indicator	
Shoulder or leg padding:	yes
Belt strap coiler:	yes
Hand-washing:	40 °C
Click buckles:	yes
Synthetic Slide Plate:	yes
Lanyard Parking-Rings:	yes
Gear loop:	yes
Max. service life:	6-8 Years
Max. number of persons:	1
Rated load:	140 KG

Attachment Points:

dorsal attachment point, sternal attachment point, pole strap attachment point, climbing protection eyelet

Patent	
Back support:	yes
Temperature:	from 45 °C to -35 °C
Area of application:	

Fire brigade / Rescue / Special Forces, Metal Construction, Mobile Work Platforms, Power Supplies / -Transmission / Telecommunications, Wind Energy / Offshore Industry

Tool loop: yes



DIMENSIONS

Size: XXL/5XL
Waist size: 102-138cm
Weight: 3,09 kg

MATERIAL

Material:

Polyester, Aluminium, Steel

Webbing material: Polyester

Sternal attachment point material:

Aluminium

Pole strap attachment point material:

Aluminium

Dorsal attachment point material:

Aluminium

Climbing protection eyelet material:

Aluminium

Material Click buckle: Stainless Steel