

Data sheet

IGNITE ARGON



GENERAL

Art. no.:	G-1133-M/XXL
EAN:	4030281222347
Standard:	EN 358:1999 EN 361:2002 EN 813:2008

E-class number:	40-02-01-02
Customs no.:	63079098

Data sheet

IGNITE ARGON

IGNITE NEON's little brother is suitable for activities done while sitting where no chest ascender is needed on the harness. The built-in attachment points have the IGNITE series color concept: Bright orange for the attachment points, in compliance with EN 361, grays for the positioning and sitting attachment points. There are also two integrated gray loops for attaching a seat board. The high-quality, padded waist harness can be easily adjusted, as can the flexible leg connections, which have high wearing comfort because of the dual adjustment options. Once adjusted, you can depend on it to hold the desired length, even while working. Breathable and removable padding as well as the stitched belt straps in the shoulder area prevent heavy sweating or cutting into your neck. The smallest size has two gear loops, the others have four.

- Comfortable harness for rope access applications
- High-quality padding
- Optimized adjustment options

FEATURES

Fall indicator

Shoulder or leg padding:	yes
--------------------------	-----

Belt strap coiler:	yes
--------------------	-----

Hand-washing:	40 °C
---------------	-------

Click buckles:	yes
----------------	-----

Lanyard Parking-Rings:	yes
------------------------	-----

Gear loop:	yes
------------	-----

Max. service life:	8-10 Years
--------------------	------------

Max. number of persons:	1
-------------------------	---

Rated load:	140 KG
-------------	--------

Attachment Points:

dorsal attachment point, sternal attachment point, pole strap attachment point, seat attachment point

Patent

Back support:	yes
---------------	-----

Temperature:	from 45 °C to -35 °C
--------------	----------------------

Area of application:

Confined Spaces, Facade / Window Cleaning, Fire brigade / Rescue / Special Forces, Power Supplies / -Transmission / Telecommunications, Rope Access / Rigging, Rope Courses, Scaffolding, Wind Energy / Offshore Industry

DIMENSIONS

Size:	M/XXL
Waist size:	106-140cm
Weight:	2,83 kg

MATERIAL

Material:	Polyester, Aluminium, Steel
Webbing material:	Polyester
Sternal attachment point material:	Aluminium
Pole strap attachment point material:	Aluminium
Dorsal attachment point material:	Aluminium
Seat attachment point material:	Aluminium
Material Click buckle:	Stainless Steel